Dalhousie University, Department of Facilities Management

Confined Space Inventory Form

Building: Life Sciences Centre C203	Room Number 1414	Date: October 18, 2011		
Confined Space No: <u>LSC 1414 – 01</u>	Confined Space Class:			
Description of Space:				
Sump pump pit				
Construction Material: Concrete with metal trap door.				
Method of Entry: <u>Ladder place in pit.</u> No. of Access / Egress Points: <u>1</u>				
Dimensions of Access / Egress Opening:				
Length: 4 ft. 2¾ inches Width: 4 ft. 2¾ inches Depth: 8 ft. 6 inches Diameter				
Type of Work Normally Conducted in Space: Servicing of sump pump.				
Frequency of Work Performance: As required.				
Reference Atmospheric Testing: CO ppm H ₂ S	ppm O ₂	% LEL%		
Other:				

Potential Hazards List all hazards near the access / egress opening(s) or in the confined space that must be controlled to ensure employee safety.				
Potential Hazards	Recommended Control Measures			
Oxygen Hazard:				
Electrical Hazards:				
Unplug the pump before servicing.				
Mechanical Hazards:				

Physical Hazards: Slippery rungs on ladder. Water in pit approximately 1 ft. 6 inches deep at time of observation.	
Chemicals Hazards:	
Flammables:	
Additional Comments:	

List of work activities normally conducted in the area:

Frequency of maintenance:

Photographs





Photo Numbers: <u>2011 – 10 – 18 - 06</u>

<u>2011 – 10 – 18 – 07</u>

List Emergency Procedures:		
Assessment Conducted By:		
Signature:	_	
Phone number:	-	
Date:		