Dalhousie University, Department of Facilities Management Confined Space Inventory Form

Building: Outside Building Q	Room Number: N /A	Date: <u>June 25, 2013</u>	
Confined Space No: Steam Chamber # 10	Confined Space Class:		
Description of Space: Steam Chamber # 10 - Located in front of the large loading bay in Bldg. Q. This one of ten chambers, two are in the parking area between Gerrard Hall and Bldg. Q with remaining eight found along Morris Street and University Avenue. The chambers provide access to a condensate line (not in use) and a pressurized steam line. Construction Material: Concrete with manhole covers.			
Method of Entry: <u>Ladder required for access.</u> No. of Access / Egress Points: <u>1</u>			
Dimensions of Access / Egress Opening: <u>Diameter: 28.0 inches Depth:</u>			
Type of Work Normally Conducted in Space: Servicing of lines and valves and sump pumps if they are present. Frequency of Work Performance: As required.			
Reference Atmospheric Testing: CO ppm Other:	H ₂ S ppm O ₂	% LEL%	

Potential Hazards		
List all hazards near the access / egress opening(s) or in the confined space that must be controlled to ensure employee safety.		
Potential Hazards	Recommended Control Measures	
Oxygen Hazard:		
Electrical Hazards:		
Electrical where there are sump pumps.		
Mechanical Hazards:		

Physical Hazards:	
High pressure steam.	
Chemicals Hazards:	
Biological:	
Additional Comments:	<u> </u>

Photographs





Photo Numbers: 2013 - 06 - 25 (1307) 2013 - 06 - 25 (1307)

ist Emergency Procedures:
Assessment Conducted By:
Signature:
Phone number:
Date: