Dalhousie University, Department of Facilities Management Confined Space Inventory Form

Building: <u>Tupper F200</u>	Room Number: MR	Date: <u>June 19, 2013</u>	
Confined Space No: F200 – BS – 01	Confined Space Class:		
Description of Space: <u>Bilge sump pumps.</u>			
Confined space is located in the mechanical area between	en doors 24 and 25 and can be acc	cessed through either door.	
Construction Material: Concrete with aluminium cov	ers.		
Method of Entry: <u>By ladder.</u>	No. of Access / Egress Points: 1		
Dimensions of Access / Egress Opening:			
Length: 34.0 inches Width: 22.0 inches D	Pepth: <u>10.0 ft. approx.</u> Diame	ter: 00.0 inches	
Type of Work Normally Conducted in Space: Maintenance and repair on pumps.			
Frequency of Work Performance: <u>As required.</u>			
Reference Atmospheric Testing: CO ppm	H ₂ S ppm O ₂	% LEL%	
Other:			

Potential Hazards		
List all hazards near the access / egress opening(s) or in the confined space that must be controlled to ensure employee safety.		
Potential Hazards	Recommended Control Measures	
Oxygen Hazard:		
Electrical Hazards:		
Shock from power cords for pumps	Disconnect and isolate power source. Keep cords out of water.	
Mechanical Hazards:		

Physical Hazards:	
Water in bottom of pit.	
Chemicals Hazards:	
Biological:	
Additional Comments:	<u> </u>

Photographs





Photo Numbers: 2013 – 06 – 19 (1413) 2013 – 06 – 19 (1413)

ist Emergency Procedures:
Assessment Conducted By:
Signature:
Phone number:
Date: