## **Clinical Frailty Scale Health Questionnaire**

For each question, please check the box that best describes your patient's usual health state. If they are currently ill, think about their health state approximately two weeks ago.

1) Is your patient terminally ill?  Yes		No 🗆					
Basic Activities of Daily Living (BADLs)							
2) Could your patient	No, unable to do OR can only do with help from another person	Yes, without help from another person					
dress and undress yourself (including putting on socks and shoes)?							
eat?							
walk?							
get in and out of bed?							
take a bath or shower?							
Instrumental Activities of Daily Living (IADLs)							
3) Could your patient	No, unable to do OR can only do with help from another person	Yes, without help from another person	N/A*				
use the telephone including looking up numbers and dialing?							
go shopping for groceries or clothes?							
prepare your own meals (including planning and cooking full meals)?							
do your housework (including heavy housework)?							
take your own medicine (including preparing it and taking the right dose at the right time)?							
handle your own money (including writing cheques and paying bills)?							

Page 1 of 2 Version 1.0

<sup>\*</sup>Never had to do before / always relied on someone else

4) Has a doctor ever told which are expected to it		have or had chronic hea asted, 6 months or more		Yes	No
Emphysema, chronic bronchitis, chronic obstructive pulmonary disease (COPD), or chronic changes in lungs due to smoking					
High blood pressure or hypertension					
Diabetes, borderline diabete	es, or high blood sugar				
Heart disease (including co	ngestive heart failure or	· CHF)			
Angina (or chest pain due to	o heart disease), heart a	attack, or myocardial infar	ction		
Cancer					
Memory problem					
Dementia or Alzheimer's dis	sease				
Osteoarthritis in the knee, h	ip or hands				
Rheumatoid or other type o	f arthritis				
Peripheral vascular disease	e or poor circulation in y	our limbs			
Stroke or CVA (cerebrovaso	cular accident)				
Mini-stroke or TIA (Transier	t Ischemic Attack)				
Parkinsonism or Parkinson'	s disease				
Intestinal or stomach ulcers					
Bowel disorder such as Cro	hn's Disease, ulcerative	e colitis, or Irritable Bowel	Syndrome		
Glaucoma					
Macular degeneration					
Osteoporosis, sometimes c	alled low bone mineral	density, or thin, brittle, or v	veak bones		
Back problems, excluding fi					
Underactive thyroid gland (sometimes called hy	perthyroidism or Graves		or overactive thyroid		
Kidney disease or kidney fa	ilure				
Other conditions (if yes, rec	ord # of conditions:	)			
5) In general, would your Excellent	patient say that their her left Very Good		air P	oor _	
6) In a typical week, how	•	•			
Rarely or never (Less than 1 day)	Some of the time (1 to 2 days)	Occasionally (3 to 4 days)	All of the (5 to 7 d		
		(3 to 4 days)	(3 to 7 to	ays)	
7) In a typical week, how or recreational activities (some or other similar activities)	such as dancing, golf	nt engage in moderate o without a cart, softball,			g,
Never	Seldom	Sometimes	Ofte		
Π	(1 to 2 days) □	(3 to 4 days) □	(5 to 7 d	ays)	